



### Helicopter

Completed Model (To	About 400mm	
(То	otal width)	About 130mm
Pattern		8 pages
Assembly Instructions		8 pages

A helicopter is a type of aircraft that has rotary wings. The engine causes the long slender wings, called rotors, at the top of the helicopter to rotate, providing lift and allowing the helicopter to fly. Compared to aircraft with fixed wings, helicopters are slow and get poor mileage so they don't fly long continuous distances. But they can take off and land in narrow places because they have the unique ability to move up and down vertically, as well as fly in reverse, sideways and hover. For these reasons, helicopters have been put to use in many ways, such as for transporting cargo, conducting rescue operations, and for industrial aviation. This paper-craft helicopter is a standard single-rotor type.

\*Bulid the model by carefully reading the Assembly Instractions, in the parts sheet page order.














#### Canon



#### Canon








http://www.canon.com/c-park/


#### Canon



http://www.canon.com/c-park/


© Canon Inc. © P.Model K.Kiyonaga

#### Canon




© Canon Inc. © P.Model K.Kiyonaga

### Canon



http://www.canon.com/c-park/







Front Back

Side



### Helicopter


A helicopter is a type of aircraft that has rotary wings. The engine causes the long slender wings, called rotors, at the top of the helicopter to rotate, providing lift and allowing the helicopter to fly. Compared to aircraft with fixed wings, helicopters are slow and get poor mileage so they don't fly long continuous distances. But they can take off and land in narrow places because they have the unique ability to move up and down vertically, as well as fly in reverse, sideways and hover. For these reasons, helicopters have been put to use in many ways, such as for transporting cargo, conducting rescue operations, and for industrial aviation. This paper-craft helicopter is a standard single-rotor type.

# Completed Model (Total length)<br/>(Total width)About 400mm<br/>About 130mmPattern8 pagesAssembly Instructions8 pages


\*Bulid the model by carefully reading the Assembly Instractions, in the parts sheet page order.

Assembly Process Attach the parts in order. A1~G18 No. of Parts	*Glue, scissors and other tools m be dangrous to young children s sure to keep them out of the rea of young children.	o be Cut them out after you have folded the	nem. compare its shape
Folds & Marks Trace along the folds with a ruler and a used pen	(no ink) to get a sharper, easier fold.	Glue spot Each glue spot has a mark indicating how to attach it.	Tools Scissors, glue (We recommend
Mountain fold line	Cut out	<ul> <li>Glue to the front of the other part</li> <li>Glue to the rear of the other part</li> </ul>	craft glue), ruler, tweezer, stencil pen, used pen (no ink).
Valley fold line	Assemble in the direction indicated by the arrow	<ul><li>Glue within the same part</li><li>Glue the rear of this part</li></ul>	

























http://www\_canon\_com/c-park/



